

CERTIFICATE OF ANALYSIS

Product: APOA1 ELISA Kit (Human)
Sku: OKEH02643
Lot: KH0724
Expiration Date: 2024.05

Performance Characteristics:

Intra-Assay CV	<= 6.8%	Passed
Inter-Assay CV	<= 9.6%	Passed
Limit of Detection (LOD)		<= 3.4 ng/mL
Assay Range		7.8 - 500 ng/mL


Standard Preparation:

Prepare the standards immediately before use. For each experiment, add 2 mL of Sample Diluent to the 1,000 ng Lyophilized APOA1 standard. Mix gently until dissolved. Leave the vial at ambient temperature for 15 minutes.

Prepare a set of diluted standards as indicated in the chart below:

Standard Number (Tube)	Standard To Dilute	Volume Standard To Dilute (uL)	Volume Sample Diluent Buffer (uL)	Total Volume (uL)	Final Concentration (ng/mL)
1	Reconstitute APOA1 Standard	N/A	N/A	2,000	500
2	500	300	300	600	250

Standard Number (Tube)	Standard To Dilute	Volume Standard To Dilute (uL)	Volume Sample Diluent Buffer (uL)	Total Volume (uL)	Final Concentration (ng/mL)
3	250	300	300	600	125
4	125	300	300	600	62.5
5	62.5	300	300	600	31.2
6	31.2	300	300	600	15.6
7	15.6	300	300	600	7.8
8	N/A	0	300	300	0.0 (Blank)



Typical Expected Data

Standard Curve and Calculations ONLY. Do not use below report for result calculations. A standard curve should be generated each time the test is performed.

Standard Number	Concentration (ng/mL)	Background Adjusted OD Value
1	500	2.766
2	250	1.849
3	125	1
4	62.5	0.543
5	31.2	0.24
6	15.6	0.128

Standard Number	Concentration (ng/mL)	Background Adjusted OD Value
7	7.8	0.052

Standard Curve Graph

